

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/658,703
Conf. No.: : 2306
Applicant : Santi Kulprathipanja, et al.
Filed : September 9, 2003
Title : Phenyl-Alkane Compositions Produced Using An
Adsorptive Separation Section
Art Unit : 1797
Examiner : Singh, Prem C.
Docket No. : 108297

Mail Stop Appeal Brief-Patents

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450


July 2, 2008

**RESUBMISSION IN RESPONSE TO NON-COMPLIANT APPEAL BRIEF
UNDER 37 C.F.R. 41.37**

Dear Sir:

Attached is a resubmission of Section V of the Appeal Brief in response to the defective nature of Section V of the Appeal Brief.

Respectfully submitted,



Arthur E. Gooding
Attorney for Applicant
Reg. No. 50,513
(847) 391-1520 (phone)
(847) 391-2387 (fax)

AEG/sgb

APPEAL BRIEF (SECTION V)
Before
Board of Patent Appeals and Interferences
in the
United States Patent & Trademark Office

In re:

U.S. Application No. 10/658,703

Filed: September 9, 2003

Inventor: Santi Kulprathipanja et al.

Assignee: UOP LLC

Examiner: Prem C. Singh

Art Unit: 1797

V. Summary of Claimed Subject Matter

The invention, as presented in claim 1, is a product by process, where the product is a modified alkylbenzene (MAB). The MAB is produced by a process wherein a lightly branched acyclic paraffin, having from 8 to 28 carbons (pg. 10, lines 17-19), is selectively adsorbed on a silicalite adsorbent (pg. 21, lines 28-29) to separate the lightly branched acyclic paraffin from more highly branched paraffins. The lightly branched acyclic paraffin is desorbed from the silicalite adsorbent using a C5-C8 cyclo paraffin, normal paraffin, or branched paraffin (pg. 22, lines 3-5), and passed to a dehydrogenation zone where the lightly branched acyclic paraffin is dehydrogenated to form a lightly branched monoolefin (pg. 28, lines 6-9). The lightly branched monoolefin is passed with a phenyl compound to an alkylation zone (pg. 34, lines 7-11) comprising a solid molecular sieve alkylation catalyst (pg. 43, lines 1-6), thereby generating the MAB (pg. 46, lines 8-9, 17-19). The molecular sieve alkylation catalyst is a physically constraining catalyst that limits the isomerization of the lightly branched alkyl group to produce a high quality modified alkylbenzene.


The invention, as presented in claim 16, is a product by process, where the product is a modified alkylbenzene sulfonate (MABS). The MABS is produced by a process wherein a lightly branched acyclic paraffin, having from 8 to 28 carbons (pg. 10, lines 17-19), is selectively adsorbed on a silicalite adsorbent (pg. 21, lines 28-29) to separate the lightly branched acyclic paraffin from more highly branched paraffins. The lightly branched acyclic paraffin is desorbed from the silicalite adsorbent using a C5-C8 cyclo paraffin, normal paraffin, or branched paraffin (pg. 22, lines 3-5), and passed to a dehydrogenation zone where the lightly branched acyclic paraffin is dehydrogenated to form a lightly branched monoolefin (pg. 28, lines 6-9). The lightly branched monoolefin is passed with a phenyl compound to an alkylation zone (pg. 34, lines 7-11) comprising a solid molecular sieve alkylation catalyst (pg. 43, lines 1-6), generating a phenyl-alkane product stream (pg. 46, lines 8-9, 17-19). The phenyl-alkane product stream is contacted with a sulfonated agent to produce a phenyl-alkane sulfonic acid (pg. 50, lines 12-19), which is then neutralized to produce the MABS (pg. 50, lines 23-27).

The invention, as presented in claim 17, is a product by process, where the product is a modified alkylbenzene (MAB). The MAB is a monomethyl paraffin that is produced by a process wherein a monomethyl paraffin is selectively adsorbed on a silicalite adsorbent to separate the monomethyl paraffin from a raffinate stream comprising more branched paraffins (pg. 16, lines 21-24; pg. 21, lines 27-29). The monomethyl paraffin is desorbed from the silicalite adsorbent using a C5-C8 cyclo paraffin, normal paraffin, or

branched paraffin (pg. 22, lines 3-5), and passed to a dehydrogenation zone where the monomethyl paraffin is dehydrogenated to form a monomethyl olefin (pg. 28, lines 6-9; pg. 62, lines 4-15). The monomethyl olefin is passed with a benzene feedstock (pg. 16, lines 1-2) to an alkylation zone (pg. 34, lines 6-11) comprising a solid molecular sieve alkylation catalyst (pg. 43, lines 1-6), thereby generating a phenyl alkane comprising molecules having one phenyl portion and one aliphatic alkyl portion, where the alkyl portion has 2 or 3 primary carbon atoms and no quaternary carbon atoms, except where the carbon atom bonds with a carbon on the phenyl group (pg. 55, lines 6-13). The molecular sieve alkylation catalyst is a physically constraining catalyst that limits the isomerization of the lightly branched alkyl group to produce a high quality modified alkylbenzene.

The invention, as presented in claim 21, is a product by process, where the product is a modified alkylbenzene sulfonate (MABS). The MABS is produced by a process wherein a feed mixture comprising aromatic compounds is enriched in lightly branched paraffins (pg. 27, lines 26-29). The lightly branched paraffins are dehydrogenated to generate a stream comprising lightly branched monoolefins (pg. 28, lines 23-26). The lightly branched monoolefins are passed with a phenyl compound to an alkylation zone (pg. 34, lines 6-11; pg. 37, lines 16-21) comprising a solid molecular sieve alkylation catalyst (pg. 38, lines 8-9; pg. 43, lines 1-6), thereby generating a modified alkylbenzene (MAB) product (pg. 46, lines 10-13). The MAB is reacted with a sulfonating agent to generate a phenyl-alkane sulfonic acid (pg. 50, lines 12-19). The phenyl-alkane sulfonic acid is neutralized to produce a phenyl-alkane sulfonate product (pg. 50, lines 23-27), where the phenyl-alkane sulfonate has no quaternary carbon atom, except where any quaternary carbon atom is bonded by a carbon-carbon bond to the phenyl group (pg. 55, lines 6-13). The molecular sieve alkylation catalyst is a physically constraining catalyst that limits the isomerization of the lightly branched alkyl group to produce a high quality modified alkylbenzene.

Respectfully submitted,



Arthur E. Gooding
Attorney for Applicant
Reg. No. 50,513
(847) 391-1520 (phone)
(847) 391-2387 (fax)

July 2, 2008

AEG/sgb